Neuroscience Letters, 178 (1994) 279–282
Elsevier Ireland Ltd.

AUTHOR INDEX

Aljadeff, G., see Gozal, D., 73
Amenta, F., Cavalotta, D., Del Valle, M.E., Mancini, M., Sabbatini, M., Torres, J.M. and Vega, J.A., Calbindin D-28k immunoreactivity in the rat cerebellar cortex: age-related changes, 131
Amouyel, P., see Berr, C., 221
Arendt, J., see Deacon, S., 32
Arita, J., see Mizuno, T., 271
Armstrong, R.A., β-Amyloid (Aβ) deposition in elderly non-demented patients and patients with Alzheimer's disease, 59

Bahjaoui-Bouhaddi, M., see Griffond, B., 119
Bähr, M., see Hüll, M., 39
Battaglia, G., see Bruno, V., 193
Beart, P.M., see Ganakas, A.-M., 124
Berr, C., Hauw, J.-J., Delaère, P., Duyckaerts, C. and Amouyel, P., Apolipoprotein E allele ε4 is linked to increased deposition of the amyloid β-peptide (A-β) in cases with or without Alzheimer's disease, 221
Bianchi, R., Veronese, A., Marini, P., Mennini, T. and Fiori, M.G., Defective activity of Na^+,K^+-ATPase in peripheral nerve of diabetic rats is independent of the axonal transport of the enzyme, 127
Bolinao, M.L., see Moghaddam, B., 99
Bollinger, R.R., see Mantyh, C.R., 255
Bouchaud, C., see Grange-Messent, V., 77
Brammer, M.J., see Romano-Silva, M.A., 155
Brave, S.R., see Gibson, A., 35
Brenner, S.R. and Yoon, K.-W., Aluminum toxicity in rat hippocampal neurons, 260
Bristow, D.R., see Zamani, M.R., 159
Bruno, V., Battaglia, G., Copani, A., Sortino, M.A., Canonico, P.L. and Nicoletti, F., Protective action of idebenone against excitotoxic degeneration in cultured cortical neurons, 193
Bugnon, C., see Griffond, B., 119
Burckhart, M.F., see Martin, C., 107
Burnet, P.W.J., Eastwood, S.L. and Harrison, P.J., Detection and quantitation of 5-HT_{1A} and 5-HT_{2A} receptor mRNAs in human hippocampus using a reverse transcriptase-polymerase chain reaction (RT-PCR) technique and their correlation with binding site densities and age, 85
Butterworth, R.F., see Ratnakumari, L., 63

Cadman, E.D., Naugles, D.D. and Lee, C.-M., cAMP is not involved in interleukin-1-induced interleukin-6 release from human astrocytoma cells, 251
Canonico, P.L., see Bruno, V., 193
Carroll, J.L., see Gozal, D., 73
Cataldi, M., Magnan, E., Guillaume, V., Dutour, A., Sauze, N., Mazzocchi, L., Conte-Devolx, B. and Oliver, C., Acute stress stimulates secretion of GHRH and somatostatin into hypophysial portal blood of conscious sheep, 103
Cavalotta, D., see Amenta, F., 131
Chapman, V., Dickenson, A.H. and Tjølsen, A., Bi-directional effects of intrathecal NMDA and substance P on rat dorsal horn neuronal responses, 90
Charli, J.-L., see Joseph-Bravo, P., 243
Chaturvedi, C.M., Zheng, Z., Koike, T.I. and Cornett, L.E., Arginine vasotocin gene expression in neuroendocrine, reproductive and gastrointestinal tissues of the domestic fowl: detection by reverse transcriptase polymerase chain reaction, 247
Chiba, A., Oka, S. and Honma, Y., Ontogenetic development of gonadotropin-releasing hormone-like immunoreactive neurons in the brain of the chum salmon, *Oncorhynchus keta*, 51
Cisneros, M., see Joseph-Bravo, P., 243
Colard, C., see Griffond, B., 119
Conte-Devolx, B., see Cataldi, M., 103
Copani, A., see Bruno, V., 193
Cornett, L.E., see Chaturvedi, C.M., 247
Cosford, R.J.O., Parsons, L.H. and Justice, Jr., J.B., Effect of tetrodotoxin and potassium infusion on microdialysis extraction fraction and extracellular dopamine in the nucleus accumbens, 175

Dailey, J.W., Seo, D.O., Yan, Q.-S., Ko, K.H., Jo, M. and Jobe, P.C., The anticonvulsant effect of the broad spectrum anticonvulsant loreclezole may be mediated in part by serotonin in rats: a microdialysis study, 179
Daugé, V., see Ladurelle, N., 5
Deacon, S., English, J. and Arendt, J., Acute phase-shifting effects of melatonin associated with suppression of core body temperature in humans, 32
Del Valle, M.E., see Amenta, F., 131
Delaère, P., see Berr, C., 221
Deray, A., see Griffond, B., 119
Detta, A., see Dong, J.-F., 27
Dickenson, A.H., see Chapman, V., 90
Dong, J.-F., Detta, A. and Hitchcock, E.R., Enhanced in vitro survival and growth of foetal human mesencephalic dopaminergic neurones on laminin and collagen: implications for cell banking, 27
Dupere, J.R.B., see Zamani, M.R., 159
Durieux, C., see Ladurelle, N., 5
Dutour, A., see Cataldi, M., 103
Duyckaerts, C., see Berr, C., 221

Eakin, T.J., see Stahl, W.L., 267
Eastwood, S.L., see Burnet, P.W.J., 85
English, J., see Deacon, S., 32
Escribá, P.V., Sastre, M., Wang, H., Regunathan, S., Reis, D.J. and García-Sevilla, J.A., Immunodetection of putative imidazoline receptor proteins in the human and rat brain and other tissues, 81
Eveleth, D., see Pettit, H.O., 43

Fatome, M., see Martin, C., 107
Fellmann, D., see Griffond, B., 119
Filloux, F., Karras, J., Imperial, J.S., Gray, W.R. and Olivera, B.M., The distribution of ω-conotoxin $MVIIC_{nle}$-binding sites in rat brain measured by autoradiography, 263
Fiori, M.G., see Bianchi, R., 127
French, A.S. and Torkkeli, P.H., The time course of sensory adaptation in the cockroach tactile spine, 147
Fresán, M.E., see Joseph-Bravo, P., 243
Fukuda, T., see Nomoto, M., 95
Fukuzaki, K., see Nomoto, M., 95
Funada, M., see Kamei, J., 69
Furukawa, T., see Ogawa, S., 144

Ganakas, A.-M., Mercer, L.D., Shinozaki, H. and Beart, P.M., Char-

acteristics and localization of high-affinity kainate sites in slide-mounted sections of rat cerebellum, 124
Gao, K.-m. and Li, P., Responses of neurones in the nucleus paragigantocellularis lateralis to somatic nerve stimulation, 15
García-Sevilla, J.A., see Escribá, P.V., 81
Garnier, J.M., see Schmitt, M., 225
Gibson, A., Brave, S.R., McFadzean, I., Mirzazadeh, S., Tucker, J.F. and Wayman, C., Nitrergic stimulation does not inhibit carbachol-induced inositol phosphate generation in the rat anococcygeus, 35
Goldfinger, M.D., see Roettger, V.R., 197
Gomez, M.V., see Romano-Silva, M.A., 155
Gozal, D., Aljadeff, G., Carroll, J.L., Rector, D.M. and Harper, R.M., Afferent contributions to intermediate area of the cat ventral medullary surface during mild hypoxia, 73
Grange-Messent, V. and Bouchaud, C., Effects of soman on cerebral astrocyte plasma membranes: a freeze-fracture study, 77
Gray, W.R., see Filloux, F., 263
Griffond, B., Deray, A., Bahjaoui-Bouhaddi, M., Colard, C., Bugnon, C. and Fellmann, D., Induction of Fos-like immunoreactivity in rat oxytocin neurons following insulin injections, 119
Guillaume, V., see Cataldi, M., 103
Gutierrez, C., see Pettit, H.O., 43
Gutiérrez, L.M., Viniegra, S., Quintanar, J.L., Reig, J.A. and Sala, F., Calyculin A blocks bovine chromaffin cell calcium channels independently of phosphatase inhibition, 55

Harper, R.M., see Gozal, D., 73
Harrison, P.J., see Burnet, P.W.J., 85
Hauw, J.-J., see Berr, C., 221
Heyes, M.P., see Saito, K., 211
Hingtgen, C.M. and Vasko, M.R., The phosphatase inhibitor, okadaic acid, increases peptide release from rat sensory neurons in culture, 135
Hitchcock, E.R., see Dong, J.-F., 27
Honma, Y., see Chiba, A., 51
Hsu, S.S.-F., Newell, D.W., Tucker, A., Malouf, A.T. and Winn, H.R., Adenosinergic modulation of CA1 neuronal tolerance to glucose deprivation in organotypic hippocampal cultures, 189
Hüll, M. and Bähr, M., Differential regulation of c-JUN expression in rat retinal ganglion cells after proximal and distal optic nerve transection, 39

Ichikawa, H., see Sugimoto, T., 239
Imperial, J.S., see Filloux, F., 263
Irifune, M., see Nomoto, M., 95
Ishii, N., see Matsumoto, K., 216
Iwamoto, Y., see Kamei, J., 69

Jo, M., see Dailey, J.W., 179
Jobe, P.C., see Dailey, J.W., 179
Joseph-Bravo, P., Fresán, M.E., Cisneros, M., Vargas, M.A. and Charli, J.-L., Pyroglutamyl peptidase II activity is not in the processes of bulbospinal TRHergic neurons, 243
Justice, Jr., J.B., see Cosford, R.J.O., 175

Kadota, O., Ohta, S., Kumon, Y., Sakaki, S., Matsuda, S. and Sakanaka, M., Basic fibroblast growth factor-like immunoreactivity in the rat basilar artery with reference to co-localization with NADPH-diaphorase in the trigeminal ganglion, 201
Kamei, J., Saitoh, A., Iwamoto, Y., Funada, M., Suzuki, T., Misawa, M., Nagase, H. and Kasuya, Y., Effects of diabetes on spontaneous locomotor activity in mice, 69
Kamei, J., Ohsawa, M., Misawa, M., Nagase, H. and Kasuya, Y., Effects of diabetes on the morphine-induced Straub tail reaction in mice, 66
Karras, J., see Filloux, F., 263
Kasuya, Y., see Kamei, J., 66
Kasuya, Y., see Kamei, J., 69
Katsuragi, T., see Ogawa, S., 144
Kauppinen, R.A., see Pirttilä, T.-R.M., 111
Keeton, T.P., see Stahl, W.L., 267
Kimura, F., see Mizuno, T., 271
Ko, K.H., see Dailey, J.W., 179
Koike, T.I., see Chaturvedi, C.M., 247
Kondo, N., see Ohara, K., 23
Konings, P.N.M., Philipsen, R.L.A., van den Broek, J.H.M. and Ruigt, G.S.F., Morphometric analysis of cisplatin-induced neurite outgrowth in N1E-115 neuroblastoma cells, 115
Kosaka, K., see Ohara, K., 23
Koyama, H., see Nagai, T., 1
Kumon, Y., see Kadota, O., 201

Ladurelle, N., Durieux, C., Roques, B.P. and Daugé, V., Different modifications of the dopamine metabolism in the core and shell parts of the nucleus accumbens following CCK-A receptor stimulation in the shell region, 5
Larson, A.A., see Yukhananov, R.Y., 163
Lee, C.-M., see Cadman, E.D., 251
Levi, G., see Patrizio, M., 184
Li, P., see Gao, K.-m., 15
Luhmann, H.J. and Scheid, M., Dextromethorphan attenuates hypoxia-induced neuronal dysfunction in rat neocortical slices, 171
Lutz, D., see Pettit, H.O., 43
Lux, H.D. and Veselovsky, N.S., Glutamate-produced long-term potentiation by selective challenge of presynaptic neurons in rat hippocampal cultures, 231

Maggio, J.E., see Mantyh, C.R., 255
Magnan, E., see Cataldi, M., 103
Malouf, A.T., see Hsu, S.S.-F., 189
Mancini, M., see Amenta, F., 131
Mantyh, C.R., Vigna, S.R., Maggio, J.E., Mantyh, P.W., Bollinger, R.R. and Pappas, T.N., Substance P binding sites on intestinal lymphoid aggregates and blood vessels in inflammatory bowel disease correspond to authentic NK-1 receptors, 255
Mantyh, P.W., see Mantyh, C.R., 255
Marini, P., see Bianchi, R., 127
Markey, S.P., see Saito, K., 211
Martin, C., Rubio, I., Burckhart, M.F. and Fatome, M., Effects of neutron-gamma irradiation on striatal D_1 and D_2 receptor distribution, 107
Matsuda, S., see Kadota, O., 201
Matsumoto, K., Wanaka, A., Mori, T., Taguchi, A., Ishii, N., Muramatsu, H., Muramatsu, T. and Tohyama, M., Localization of pleiotrophin and midkine in the postnatal developing cerebellum, 216
Matsuo, K., see Ogawa, S., 144
Mazzocchi, L., see Cataldi, M., 103
McFadzean, I., see Gibson, A., 35
Mennini, T., see Bianchi, R., 127
Mercer, L.D., see Ganakas, A.-M., 124
Millan, M.J. and Seguin, L., Chemically-diverse ligands at the glycine B site coupled to *N*-methyl-D-aspartate (NMDA) receptors selectively block the late phase of formalin-induced pain in mice, 139
Mirzazadeh, S., see Gibson, A., 35

Misawa, M., see Kamei, J., 69
Misawa, M., see Kamei, J., 66
Miura, M., Okada, J., Takayama, K. and Suzuki, T., Neuronal expression of Fos and Jun protein in the rat medulla and spinal cord after anoxic and hypercapnic stimulations, 227
Miyasato, K., see Ohara, K., 23
Mizuno, T., Arita, J. and Kimura, F., Spontaneous acetylcholine release in the hippocampus exhibits a diurnal variation in both young and old rats, 271
Moghaddam, B. and Bolinao, M.L., Biphasic effect of ethanol on extracellular accumulation of glutamate in the hippocampus and the nucleus accumbens, 99
Moore, R.Y., see Shirakawa, T., 47
Mori, T., see Matsumoto, K., 216
Muramatsu, H., see Matsumoto, K., 216
Muramatsu, T., see Matsumoto, K., 216

Nagai, T. and Koyama, H., Ultrastructure of Merkel-like cells labeled with carbocyanine dye in the non-taste lingual epithelium of the axolotl, 1
Nagase, H., see Kamei, J., 69
Nagase, H., see Kamei, J., 66
Naugles, D.D., see Cadman, E.D., 251
Newell, D.W., see Hsu, S.S.-F., 189
Nicoletti, F., see Bruno, V., 193
Nishijima, K., see Sugimoto, T., 239
Nomoto, M., Irifune, M., Fukuzaki, K. and Fukuda, T., Effects of bifemelane on parkinsonism induced by 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine (MPTP) in the common marmoset, 95

Ogawa, S., Katsuragi, T., Matsuo, K. and Furukawa, T., Inhibitory effect of okadaic acid on noradrenaline exocytosis from guinea-pig vas deferens, 144
Ohara, K., see Ohara, K., 23
Ohara, K., Kondo, N., Xie, D., Tanabe, K., Yamamoto, T., Kosaka, K., Miyasato, K. and Ohara, K., Normal sequences of muscarinic acetylcholine receptors (m1 and m2) in patients with Alzheimer's disease and vascular dementia, 23
Ohsawa, M., see Kamei, J., 66
Ohta, S., see Kadota, O., 201
Oka, S., see Chiba, A., 51
Okada, J., see Miura, M., 227
Okumura, T., Pappas, T.N. and Taylor, I.L., Intracisternal injection of pancreatic polypeptide stimulates gastric emptying in rats, 167
Oliver, C., see Cataldi, M., 103
Olivera, B.M., see Filloux, F., 263

Pappas, T.N., see Okumura, T., 167
Pappas, T.N., see Mantyh, C.R., 255
Park, C.K. and Rudolphi, K.A., Antiischemic effects of propentofylline (HWA 285) against focal cerebral infarction in rats, 235
Parsons, L.H., see Cosford, R.J.O., 175
Patrizio, M. and Levi, G., Glutamate production by cultured microglia: differences between rat and mouse, enhancement by lipopolysaccharide and lack effect of HIV coat protein gp120 and depolarizing agents, 184
Pettit, H.O., Lutz, D., Gutierrez, C. and Eveleth, D., I.c.v. infusions of $ACPD_{(1S,3R)}$ attenuate learning in a Morris water maze paradigm, 43
Philipsen, R.L.A., see Konings, P.N.M., 115
Pirttilä, T.-R.M. and Kauppinen, R.A., Lactate efflux and intracellular pH during severe hypoxia in rat cerebral cortex in vitro studied by nuclear magnetic resonance spectroscopy, 111

Quintanar, J.L., see Gutiérrez, L.M., 55
Quirin-Stricker, C., see Schmitt, M., 225
Qureshi, I.A., see Ratnakumari, L., 63

Ratnakumari, L., Qureshi, I.A. and Butterworth, R.F., Evidence for cholinergic neuronal loss in brain in congenital ornithine transcarbamylase deficiency, 63
Rector, D.M., see Gozal, D., 73
Regunathan, S., see Escribá, P.V., 81
Reid, I.C., see Stewart, C.A., 11
Reig, J.A., see Gutiérrez, L.M., 55
Reis, D.J., see Escribá, P.V., 81
Roettger, V.R. and Goldfinger, M.D., Evidence for amino acid concentration gradients between CSF and extracellular fluid, 197
Romano-Silva, M.A., Gomez, M.V. and Brammer, M.J., The use of gadolinium to investigate the relationship between Ca^{2+} influx and glutamate release in rat cerebrocortical synaptosomes, 155
Roques, B.P., see Ladurelle, N., 5
Rubio, I., see Martin, C., 107
Rudolphi, K.A., see Park, C.K., 235
Ruigt, G.S.F., see Konings, P.N.M., 115
Ryu, J.H., Yanai, K. and Watanabe, T., Marked increase in histamine H_3 receptors in the striatum and substantia nigra after 6-hydroxydopamine-induced denervation of dopaminergic neurons: an autoradiographic study, 19

Sabbatini, M., see Amenta, F., 131
Saito, K., Markey, S.P. and Heyes, M.P., 6-Chloro-D,L-tryptophan, 4-chloro-3-hydroxyanthranilate and dexamethasone attenuate quinolinic acid accumulation in brain and blood following systemic immune activation, 211
Saitoh, A., see Kamei, J., 69
Sakaki, S., see Kadota, O., 201
Sakanaka, M., see Kadota, O., 201
Sala, F., see Gutiérrez, L.M., 55
Sastre, M., see Escribá, P.V., 81
Sauze, N., see Cataldi, M., 103
Scheid, M., see Luhmann, H.J., 171
Schmitt, M., Garnier, J.M., Simoni, P. and Quirin-Stricker, C., A previously unidentified choline acetyltransferase transcript in the human foetal brain, 225
Seguin, L., see Millan, M.J., 139
Semmler, J.G. and Türker, K.S., Compound group I excitatory input is differentially distributed to motoneurones of the human tibialis anterior, 206
Seo, D.O., see Dailey, J.W., 179
Shinozaki, H., see Ganakas, A.-M., 124
Shirakawa, T. and Moore, R.Y., Glutamate shifts the phase of the circadian neuronal firing rhythm in the rat suprachiasmatic nucleus in vitro, 47
Simoni, P., see Schmitt, M., 225
Sortino, M.A., see Bruno, V., 193
Stahl, W.L., Keeton, T.P. and Eakin, T.J., The plasma membrane Ca^{2+}-ATPase mRNA isoform PMCA 4 is expressed at high levels in neurons of rat piriform cortex and neocortex, 267
Stewart, C.A. and Reid, I.C., Ketamine prevents ECS-induced synaptic enhancement in rat hippocampus, 11
Sugimoto, T., Yoshida, A., Nishijima, K. and Ichikawa, H., c-Fos induction in the rat spinal dorsal horn partially deafferented by dorsal rhizotomy, 239
Sugita, Y., Electrophysiological correlates of human visual recognition memory, 151

Suzuki, T., see Miura, M., 227
Suzuki, T., see Kamei, J., 69

Taguchi, A., see Matsumoto, K., 216
Takahashi, K., see Takeuchi, Y., 275
Takayama, K., see Miura, M., 227
Takeuchi, Y. and Takahashi, K., Circadian variations of amino acid content of suprachiasmatic nucleus in rats, 275
Tanabe, K., see Ohara, K., 23
Taylor, I.L., see Okumura, T., 167
Tjølsen, A., see Chapman, V., 90
Tohyama, M., see Matsumoto, K., 216
Torkkeli, P.H., see French, A.S., 147
Torres, J.M., see Amenta, F., 131
Tucker, A., see Hsu, S.S.-F., 189
Tucker, J.F., see Gibson, A., 35
Türker, K.S., see Semmler, J.G., 206

van den Broek, J.H.M., see Konings, P.N.M., 115
Vargas, M.A., see Joseph-Bravo, P., 243
Vasko, M.R., see Hingtgen, C.M., 135
Vega, J.A., see Amenta, F., 131
Veronese, A., see Bianchi, R., 127
Veselovsky, N.S., see Lux, H.D., 231
Vigna, S.R., see Mantyh, C.R., 255
Viniegra, S., see Gutiérrez, L.M., 55

Wanaka, A., see Matsumoto, K., 216
Wang, H., see Escribá, P.V., 81
Watanabe, T., see Ryu, J.H., 19
Wayman, C., see Gibson, A., 35
Winn, H.R., see Hsu, S.S.-F., 189

Xie, D., see Ohara, K., 23

Yamamoto, T., see Ohara, K., 23
Yan, Q.-S., see Dailey, J.W., 179
Yanai, K., see Ryu, J.H., 19
Yoon, K.-W., see Brenner, S.R., 260
Yoshida, A., see Sugimoto, T., 239
Yukhananov, R.Y. and Larson, A.A., An N-terminal fragment of substance P, substance P(1–7), down-regulates neurokinin-1 binding in the mouse spinal cord, 163

Zamani, M.R., Dupere, J.R.B. and Bristow, D.R., An immortalised murine hypothalamic neuronal cell, GT1–7, expresses functional histamine H_1 receptors, 159
Zheng, Z., see Chaturvedi, C.M., 247